



**COMMONWEALTH OF VIRGINIA  
DIVISION OF PURCHASES AND SUPPLY  
PO BOX 1199  
RICHMOND, VA 23218-1199  
CONTRACT # E194-458**

**Notice of Contract Renewal**

1. DATE November 30, 2011
2. CONTRACT TITLE Refrigerators and Freezers
3. PREVIOUS CONTRACT NO. E194-458
4. CONTRACT PERIOD December 1, 2011 through November 30, 2012
5. AUTHORIZED USERS MANDATORY - State Agencies & Other Public Bodies
6. CONTRACTOR Sears Industrial Sales
7. CONTRACTOR CONTACT Ms. Lindy Ely
8. TERMS Net 30 Days
9. DELIVERY 10 Calendar Days ARO
10. MINIMUM ORDER \$100.00 for FOB Delivery
11. FOR FURTHER CONTRACT INFORMATION CONTACT: Sharita L. Bryant, VCA, VCO  
[Sharita.Bryant@dgs.virginia.gov](mailto:Sharita.Bryant@dgs.virginia.gov)  
804-786-3897
12. Additional copies of contracts may be viewed and printed at the DPS website:  
[www.eva.virginia.gov](http://www.eva.virginia.gov)
13. NOTE: This public body does not discriminate against faith-based organizations in accordance with the *Code of Virginia*, §2.2-4343, or against a bidder or offeror because of race, religion, color, sex national origin, age, disability, or any other basis prohibited by state law relating to discrimination in employment.

---

## Contract Instructions

---

1. **IMPORTANT ORDERING INFORMATION:** Orders must be placed through eVA; however all approved eVA orders must be sent to the following via fax or e-mail:

Government Desk

Kristen Simmons or Jasmine Edney

Phone: 800-278-2340

FAX: 800-669-3719

e-Mail: [csgov@searshc.com](mailto:csgov@searshc.com)

2. This is a mandatory use contract as indicated on page one of this notice and the commodity or services available under this contract cannot be used by an agency, a request to purchase other goods or services of a similar nature shall be submitted to the appropriate DGS/DPS contract/purchase officer for approval. A complete and factual written justification is necessary to support the request. Refer to Section 13.7 of the *Agency Procurement and Surplus Property Manual*.
3. Unless otherwise instructed by the Division of Purchases and Supply, all departments, institutions and agencies of the Commonwealth of Virginia shall order items listed by issuing orders through eVA.
4. If this contract is authorized for use by localities, Virginia cities, counties, towns and political subdivisions may use this contract if the orders are placed through eVA.
5. When placing an eVA non-catalog order, each line of the requisition must be identified with the contract item number, the contract item description and the contract number. The contract number should be inserted in the contract number field.
6. Inspection on delivery and approval of vendor's invoice is the responsibility of the receiving entity.
7. Any complaint as to quality, faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported by the contract user directly to the contractor, with a copy provided to the Division of Purchases and Supply. Preprinted forms (DGS-41-024), by which to facilitate the notification of the contractor and this office of complaints, are available from the Division of Purchases and Supply (804-786-4634). The electronic version may be downloaded from the internet at the following link:  
<http://eva.virginia.gov/learn-about-eva/files/VendorComplaintForm.doc>

---

## **RENEWAL - E194 - 458**

(Supersede Contract No.: E194-102-09)

Effective Begin Date: **12/1/2011**

Expiration Date: **11/30/2012**

Contract Description:

**Refrigerators and Freezers**

---

### **Contract Officer Information**

**Sharita L. Bryant, VCA, VCO**

**Phone: (804) 786-3897**

**Email: [Sharita.Bryant@dgs.virginia.gov](mailto:Sharita.Bryant@dgs.virginia.gov)**

---

### **Authorized Departments**

State Agencies and Other Public Bodies

---

### **Vendor Information**

---

Legal Name: **SEARS INDUSTRIAL SALES**

Vendor Contact Name: **LINDY ELY**

Address: **Sears Contract Sales**

Vendor Contact Email:

**6101 Providence Court**

**[Lindy.Ely@searshc.com](mailto:Lindy.Ely@searshc.com)**

**Fredericksburg, VA 22407**

Vendor Phone Number: **(540) 891-0350**

Cell Phone: **(540) 287-9881**

Vendor Fax Number: **(540) 891-1761**

**(804) 304-6520**

### **Billing and Payment:**

**Sears Contract Sales**

**[Kristen Simmons or Jasmine Edney](#)**

**2417 Regency Blvd., Suite 6**

**Augusta, GA 30904**

**E-Mail: [csgov@searshc.com](mailto:csgov@searshc.com)**

**Phone (Billing): (800) 278-2340 / Fax: (800) 669-3719**

**\*\*ORDERING NOTE: Orders must be placed through eVA; however, Sears does not accept orders electronically. All approved eVA orders must be faxed to 800-669-3719, Attn: **Kristen Simmons or Jasmine Edney**.\*\***

---

Renewals Remaining: 0

Renewal Period Length: 1

Renewal Period Unit: Years

Effective Date: 12/1/2011

Expiration Date: 11/30/2012

---

### **Terms and Conditions**

---

**PRICE ESCALATION/DEESCALATION:** Price adjustments may be permitted only for changes in the Contractor's cost of materials. The Producer's Price Index 1241, 1241-0331, 0332 and 0333, Table 6 will be used as a guide to determine increase or decrease. No price increases will be authorized for 365 calendar days after the effective date of the contract. Price escalation may be permitted only at the end of this period and each 180 days thereafter and only where verified to the satisfaction of the purchasing office. However, "across the board" price decreases are subject to implementation at any time and shall be immediately conveyed to the Commonwealth.

Contractor shall give not less than 30 days advance notice of any price increase to the purchasing office. Any approved price changes will be effective only at the beginning of the calendar month following the end of the full 30 day notification period. The Contractor shall document the amount and proposed effective date of any general change in the price of materials. Documentation shall be supplied with the Contractor's request for increase which will: (1) verify that the requested price increase is general in scope and not applicable just to the Commonwealth of Virginia; and (2) verify the amount or percentage of increase which is being passed on to the Contractor by the Contractor's suppliers. The purchasing office will notify the using agencies and Contractor in writing of the effective date of any increase which it approves.

However, the Contractor shall fill all purchase orders received prior to the effective date of the price adjustment at the old contract prices. The Contractor is further advised that decreases which affect the cost of materials are required to be communicated immediately to the purchasing office.

**MINIMUM ORDERS** will be \$100.00 for F.O.B. delivery to ordering agency within the Commonwealth of Virginia. For orders of less than \$100.00, the contractor will be permitted to add actual transportation cost (prepaid) to invoice for payment, or the agency may purchase such order off contract from other sources. Partial shipments of less than the minimum order value which are made at the option of the contractor shall be made F.O.B. Destination with no transportation charges added. If at the agency's request shipments are below the minimum order value, the contractor may add actual transportation cost to invoice for payment.

**DELIVERY:** The Commonwealth expects delivery within 10 calendar days after receipt of order (ARO). For Inside Delivery, Uncrating and Set -In Place Add \$30.00 Per Unit. Fifty (50) or more units to the same location at the same time \$20.00 Per Unit.

**WARRANTY:** All equipment shall be warranted against defective materials and workmanship for a period of twelve (12) months from date of delivery excluding vandalism, and the compressor unit shall carry a parts warranty of an additional four (4) years. All parts proving defective within the warranty period shall be replaced without charge by the Contractor. Transportation and labor for installation of defective parts for the first 12 months shall be the responsibility of the Contractor. Warranty repairs shall be made within 72 hours after notification. Repair parts shall be readily available for at least 10 years following the delivery date. Manufacturer's warranty periods which exceed these requirements shall be secured by the Contractor and conveyed to the Commonwealth and/or its Agents.

**PURCHASE VOLUME REPORT:** The Contractor shall furnish the Division of Purchases and Supply reports of the total dollar volume of purchases made under this contract and the total number of each contract item ordered under this contract in accordance with the following schedule: 1. The first report shall include purchases made in the first twelve (12) months of the contract. In addition, for contracts exceeding one year, the Contractor shall furnish reports at the end of each consecutive twelve month period and 90 calendar days prior to the expiration date of the contract. All reports shall be delivered to the Division of Purchases and Supply no later than 14 calendar days after the request has been made by the Division. Reports shall be sent to the attention of the appropriate contract officer. Failure to submit this information in the required time may result in disqualification from bidding on the next solicitation for this contract.

**AUDIT:** The Contractor hereby agrees to retain all books, records, and other documents relative to this contract for five (5) years after final payment, or until audited by the Commonwealth of Virginia, whichever is sooner. The agency, its authorized agents, and/or State auditors shall have full access to and the right to examine any of said materials during said period.

**TRANSPORTATION AND PACKAGING:** By submitting their (bids/proposals), all (bidders/offers) certify and warrant that the price offered for FOB destination includes only the actual freight rate costs at the lowest and best rate and is based upon the actual weight of the goods to be shipped. Except as otherwise specified herein, standard commercial packaging, packing and shipping containers shall be used. All shipping containers shall be legibly marked or labeled on the outside with purchase order number, commodity description, and quantity.

**eVA BUSINESS-TO-GOVERNMENT VENDOR REGISTRATION:** The eVA Internet electronic procurement solution, web site portal [www.eva.state.va.us](http://www.eva.state.va.us), streamlines and automates government purchasing activities in the Commonwealth. The portal is the gateway for vendors to conduct business with state agencies and public bodies. All vendors desiring to provide goods and/or services to the Commonwealth shall participate in the eVA Internet e-procurement solution either through the eVA Basic Vendor Registration Service or eVA Premium Vendor Registration Service. All bidders or offerors must register in eVA; failure to register will result in the bid/proposal being rejected. a.) eVA Basic Vendor Registration Service: \$25 Annual Fee plus a Transaction Fee of 1% per order received. The maximum transaction fee is \$500 per order. eVA Basic Vendor Registration Service includes electronic order receipt, vendor catalog posting, on-line registration, and electronic bidding. b.) eVA Premium Vendor Registration Service: \$200 Annual Fee plus a Transaction Fee of 1% per order received. The maximum transaction fee is \$500 per order. eVA Premium Vendor Registration Service includes all benefits of the eVA Basic Vendor Registration Service plus automatic email or fax notification of solicitations and amendments, and ability to research historical procurement data, as they become available.

**FINANCIAL WARRANTY:** Contractor shall ensure that the prices, discounts, incentives, and other financial terms (collectively, the "financial deal") applicable to purchases under this Contract is always at least as favorable to the purchaser as the financial deal that the Contractor or its affiliates make available to any public body in Virginia for the same good(s)/service(s) outside this Contract. Throughout the term of this Contract, if Contractor (or any affiliate) makes a better financial deal available to a public body in Virginia for any good(s)/service(s) available under this Contract, Contractor shall immediately notify DGS of the details and, at DGS's option, sign an amendment to this Contract, so that an equivalent financial deal for the affected good(s)/service(s) is also available as an option under this Contract. Contractor may request exemption if the better financial deal was for a spot purchase, and DGS shall grant such request if DGS in good faith finds that the spot purchase involved special circumstances affecting cost that would make it unfair to apply an equivalent financial deal outside of that spot purchase. Upon DGS's request (and annually on August 1), Contractor shall submit to DGS an affidavit certifying full compliance with this Section. The Contractor (and any affiliate) shall waive any contractual or other right that inhibits any public body in Virginia from disclosing to DGS or others the financial terms made available to the public body, and upon request from DGS, Contractor shall ensure that a signed confirmation of the waiver is provided to the public body and DGS. As used in this Section, an affiliate is any entity that controls, is controlled by, or is under common control with, the Contractor.

---

## Commodity Information

(NOTE: Click on items in BLUE to hyperlink for additional specifications)

---

### Compact Refrigerator/Freezers

Line: 1

**DISCONTINUED**

Lines: 2, 3, and 4

**REMOVED**

---

### Combination Refrigerator/Freezers with Ice Makers

Line: 5

**REMOVED**

Line: 6

Commodity: 04566

Description: Refrigerators And Freezers

Combination Refrigerator-Freezer, Size 16.5 cu. ft., Top Freezer, Frostfree, Electric, Automatic Ice Maker, **E-STAR Rated**, Kenmore Model 46-71762 (White).

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Unit Price: **\$477.00**

---

Line: 7

Commodity: 04566

Description: Refrigerators And Freezers

Combination Refrigerator-Freezer, Size 18 cu. ft., Top Freezer, Frostfree, Electric, Automatic Ice Maker, **E-STAR Rated**, Kenmore Model 46-70932 (White), Model 46-70934 (Bisque), Model 46-70939 (Black). **NOTE:** Bisque is being discontinued; availability is limited.

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Unit Price: **\$503.00**



**Line: 8**

Commodity: 04566

Description: Refrigerators And Freezers

Combination Refrigerator-Freezer, Size 21 cu. ft., Top Freezer, Frostfree, Electric, Automatic Ice Maker Electric, **E-STAR Rated**, Kenmore Model 46-70232 (White), Model 46-70234 (Bisque), Model 46-70239 (Black). **NOTE:** Bisque is being discontinued; availability is limited.

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Unit Price: **\$638.00**

---

**Combination Refrigerator/Freezers without Ice Makers**

**Line: 9**

**REMOVED**

---

**Line: 10**

Commodity: 04566

Description: Refrigerators And Freezers

Combination Refrigerator-Freezer, Size 16.5 cu. ft., Top Freezer, Frostfree, Electric, Without Automatic Ice Maker, **E-STAR Rated**, Kenmore Model 46-61762 (White).

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Unit Price: **\$428.00**

---

**Line: 11**

Commodity: 04566

Description: Refrigerators And Freezers

Combination Refrigerator-Freezer, Size 18 cu. ft., Top Freezer, Frostfree, Electric, Without Automatic Ice Maker, **E-STAR Rated**, Kenmore Model 46-60932 (White).

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Unit Price: **\$463.00**

---

**Line: 12**

Commodity: 04566

Description: Refrigerators And Freezers

Combination Refrigerator-Freezer, Size 21 cu. ft., Top Freezer, Frostfree, Electric, Without Automatic Ice Maker, **E-STAR Rated**, Kenmore Model 46-60232 (White ONLY)

Unit: each

Free On Board Name: FOB Destination-Freight Prepaid

Unit Price: **\$545.00**

---

## **Side by Side Refrigerator/Freezers**

### **Line: 13**

Commodity: 04566

Description: Refrigerators And Freezers

Side by Side Refrigerator-Freezer Combination,  
Size 25 cu. ft., Frostfree, Electric, Automatic Ice  
Maker, Water and Ice Cube Dispenser, **E-STAR  
Rated**, Kenmore Model 46-59422 (White), Model  
46-59429 (Black)

Unit: each

Free On Board Name: FOB Destination-Freight  
Prepaid

Unit Price: **\$840.00**

---

### **Line: 14**

Commodity: 04566

Description: Refrigerators And Freezers

Side by Side Refrigerator-Freezer Combination,  
Size 26 cu. ft., Frostfree, Electric, Automatic Ice  
Maker, Water and Ice Cube Dispenser, **E-STAR  
Rated**, Kenmore Model 46-51022 (White), Model  
46-51029 (Black)

Unit: each

Free On Board Name: FOB Destination-Freight  
Prepaid

Unit Price: **\$975.00**

---





Kenmore 16.5 cu. ft. Top Freezer Refrigerator, Ice

**46-71762** – White

- 2 fruit/vegetable crispers
- 3 shelves (2 adjustable, wire, slide-out)
- 3 door storage shelves (1 gallon)
- Reach-thru handles
- Galvanized steel cabinet and reversible doors
- ENERGY STAR® qualified
- 28" W x 65 1/8" H x 32 1/8" D

Kenmore 16.5 cu. ft. Top Freezer Refrigerator, Non-Ice (Left Hinge)

**46-61762** (46-61767) – White**46-61763** – Stainless**46-61764** (46-61768) – Bisque**46-61769** – Black


- Similar to 46-71762, accepts optional ice maker (kit #46-8087)

Selection	
<b>Right Hinge Selection, Ice</b>	
White	46-71762
<b>Right Hinge Selection, Non-Ice</b>	
White	46-61762
(Left Hinge)	(46-61767)
Stainless (Right Hinge Only)	46-61763
Bisque	46-61764
(Left Hinge)	(46-61768)
Black	46-61769
<b>Interior Capacities</b>	
Total Volume (cu. ft.)	16.5
Refrigerator Volume (cu. ft.)	12.8
Freezer Volume (cu. ft.)	3.7
<b>Refrigerator Features</b>	
Total Interior Shelves	3
Adjustable Shelves	2 Wire
Slide-Out Shelves	2
Fruit / Vegetable Crisper	2
Total Door Shelves / Bins	3
Gallon Door Storage	1
Covered Dairy Bin	•
Refrigerator Light(s)	•
<b>Freezer Features</b>	
Optional Ice Maker Kit	46-8087
Interior Shelves	1 Half-Width
Door Shelves / Baskets / Bins	2
Frost-Free	•
<b>General Features</b>	
Up-Front Temperature Controls	Dial
Drawer / Bin Color and Accents	White
Door Handles	Reach-Thru
Reversible Doors	•
Textured Steel Doors and Cabinet†	•
ENERGY STAR® Qualified	•
Est. Energy Consumption (kWh / yr.)	368
Est. Yearly Operating Cost*	\$39
Volts / Amps	115 / 4.5
Shipping Weight (Approx. Lbs.)	190
<b>Warranty</b>	
1 Year Limited Warranty – Entire Appliance	Parts & Labor

If used for other than private family purposes, warranty applies for only 90 days.

†Galvanized steel cabinet

\*All energy \$/Yr. figures are calculated at the national average cost of \$0.1065 / kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2007 standard. Dollar amounts may differ.



A – Height without Hinge  
B – Height with Hinge  
C – Depth without Handle  
D – Depth with Handle  
E – Max. Depth with Doors / Drawer Open  
F – Width

Clearance – Additional Width Required to Open the Doors 90°

Left Hinge – Facing the refrigerator, handle is on your right and hinges are on your left.

Right Hinge – Facing the refrigerator, handle is on your left and hinges are on your right.

Dimensions, Inches	Height		Depth		Width		Clearances	
	A	B	C	D	E	F	Door Edge	Handle
46-71762	64 3/8	65 1/8	29 3/8	32 1/8	56	28	5/8	2 3/4
46-6176X								

MINIMUM OPENING REQUIRED: When installing next to cabinets, add Width (F) and Door Edge Clearance. When installing next to a wall, add Width (F) and Handle Clearance.




## Measure Twice...Order Once

### Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

#### It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.  
Adjacent Cabinet \_\_\_\_\_ "F" + \_\_\_\_\_ Door Edge = \_\_\_\_\_ Min. Opening  
Adjacent Wall \_\_\_\_\_ "F" + \_\_\_\_\_ Handle = \_\_\_\_\_ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.  
\_\_\_\_\_ "C" - \_\_\_\_\_ 24" Cabinet Depth + \_\_\_\_\_ approx. 2" Electric & Water Connection Clearances = \_\_\_\_\_ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.





# top freezer refrigerator | 46-70932/3/4/9, 46-60932/3/4/9

page 1 of 2



Kenmore 18 cu. ft. Top Freezer Refrigerator



- 46-70932 – White
- 46-70933 – Stainless
- 46-70934 – Bisque
- 46-70939 – Black

- Factory installed automatic ice maker
- 2 clear humidity-controlled crispers, one clear sliding deli drawer
- 3 glass shelves (2 adjustable, 2 spill proof)
- 3 door storage bins (1 gallon; tall door storage)
- Integrated handles
- ENERGY STAR® qualified
- 28" W x 68" H x 30 3/8" D

Kenmore 18 cu. ft. Top Freezer Refrigerator, Non-Ice


- 46-60932 – White
- 46-60933 – Stainless
- 46-60934 – Bisque
- 46-60939 – Black

- Similar to 46-70932; accepts optional ice maker (kit #46-8560)

Selection	
Right Hinge Selection, Factory Ice	
White	46-70932
Stainless	46-70933
Bisque	46-70934
Black	46-70939
Right Hinge Selection, Non-Ice	
White	46-60932
Stainless	46-60933
Bisque	46-60934
Black	46-60939
Interior Capacities	
Total Volume (cu. ft.)	17.5
Refrigerator Volume (cu. ft.)	13.5
Freezer Volume (cu. ft.)	4.1
Refrigerator Features	
Total Interior Shelves	3 Glass
Spill Proof Shelves	2
Adjustable Shelves	2
Snack / Deli Drawer	1 Clear Sliding
Fruit / Vegetable Crisper	2 Humidity-Controlled
Total Door Shelves / Bins	3 Fixed
Gallon Door Storage	1
Tall Item Retainer	*
Covered Dairy Bin	*
Refrigerator Light(s)	*
Freezer Features	
Factory-Installed Ice Maker (Ice)	*
Optional Ice Maker Kit (Non-Ice)	46-8560
Freezer Light	*
Interior Shelves	1 Full-Width
Freezer Door Shelves / Baskets / Bins	2
Frost-Free	*
General Features	
Up-Front Temperature Controls	Dial
Drawer / Bin Color and Accents	Clear
Door Handles	Integrated
Reversible Doors	*
Textured Steel Doors and Cabinet	Smooth, Contoured Doors
Adjustable Front Rollers	*
ENERGY STAR® Qualified	*
Est. Energy Consumption (kWh / yr.)	378
Est. Yearly Operating Cost*	\$40
Volts / Amps	115 / 6.5
Shipping Weight (Approx. Lbs.)	225
Warranty	
1-Year Limited Warranty – Entire Appliance	Parts & Labor

If used for other than private family purposes, warranty applies for only 90 days.

\*All energy \$ / Yr. figures are calculated at the national average cost of \$0.1065 / kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2006 standard. Dollar amounts may differ.



**A** – Height without Hinge  
**B** – Height with Hinge  
**C** – Depth without Handle  
**D** – Depth with Handle  
**E** – Max. Depth with Doors / Drawer Open  
**F** – Width

**Clearance** – Additional Width  
 Required to Open the Doors 90°

Dimensions, Inches	Height		Depth			Width	Clearances	
	A	B	C	D	E	F	Door Edge	Handle
46-70932	67 3/8	68	30 3/8	30 3/8	54 3/8	28	1 3/4	1 3/4
46-60932								

**MINIMUM OPENING REQUIRED:** When installing next to cabinets, add Width (F) and Door Edge Clearance. When installing next to a wall, add Width (F) and Handle Clearance.




## Measure Twice...Order Once

### Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

#### It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.  
Adjacent Cabinet \_\_\_\_\_ "F" + \_\_\_\_\_ Door Edge = \_\_\_\_\_ Min. Opening  
Adjacent Wall \_\_\_\_\_ "F" + \_\_\_\_\_ Handle = \_\_\_\_\_ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.  
\_\_\_\_\_ "C" - \_\_\_\_\_ 24" Cabinet Depth + \_\_\_\_\_ approx. 2" Electric & Water Connection Clearances = \_\_\_\_\_ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.







# top freezer refrigerator | 46-70232/3/4/9, 46-60232/3/4/9

page 1 of 2



Kenmore 21 cu. ft. Top Freezer Refrigerator



- 46-70232 – White
- 46-70233 – Stainless
- 46-70234 – Bisque
- 46-70239 – Black

- Factory installed automatic ice maker
- 2 clear humidity-controlled crispers
- 4 glass shelves (3 adjustable, 2 split)
- 5 door storage bins (1 gallon, tall flip-up door storage)
- Reach-thru handles
- ADA compliant
- ENERGY STAR® qualified
- 32 1/2" W x 66 1/4" H x 31 3/8" D

Kenmore 21 cu. ft. Top Freezer Refrigerator, Non-Ice


- 46-60232 – White
- 46-60233 – Stainless
- 46-60234 – Bisque
- 46-60239 – Black

- Similar to 46-70232, accepts optional ice maker (kit #46-8560)

Selection	
Right Hinge Selection, Factory Ice	
White	46-70232
Stainless	46-70233
Bisque	46-70234
Black	46-70239
Right Hinge Selection, Non-Ice	
White	46-60232
Stainless	46-60233
Bisque	46-60234
Black	46-60239
Interior Capacities	
Total Volume (cu. ft.)	20.9
Refrigerator Volume (cu. ft.)	14.5
Freezer Volume (cu. ft.)	6.5
Refrigerator Features	
Total Interior Shelves	4 Glass
Adjustable Shelves	3
Split Shelves	2
Snack / Deli Drawer	Adjustable
Fruit / Vegetable Crisper	2 Humidity-Controlled
Total Door Shelves / Bins	5 Fixed
Gallon Door Storage	1
Tall Item Retainer	•
Covered Dairy Bin	•
Refrigerator Light(s)	•
Freezer Features	
Factory-Installed Ice Maker (Ice)	•
Optional Ice Maker Kit (Non-Ice)	46-8560
Freezer Light	•
Interior Shelves	1 Full-Width
Freezer Door Shelves / Baskets / Bins	2
Frost-Free	•
General Features	
Up-Front Temperature Controls	Dial
Drawer / Bin Color and Accents	Clear
Door Handles	Reach-Thru
Reversible Doors	•
Textured Steel Doors and Cabinet	Textured, Flat Doors
Adjustable Front Rollers	•
ADA Compliant	•
ENERGY STAR® Qualified	•
Est. Energy Consumption (kWh / yr.)	416
Est. Yearly Operating Cost*	\$44
Volts / Amps	115 / 6.5
Shipping Weight (Approx. Lbs.)	232.5
Warranty	
1-Year Limited Warranty – Entire Appliance	Parts & Labor

If used for other than private family purposes, warranty applies for only 90 days.

\*All energy \$ / Yr. figures are calculated at the national average cost of \$0.1065 / kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2006 standard. Dollar amounts may differ.






## Measure Twice...Order Once

### Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

#### It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.  
Adjacent Cabinet \_\_\_\_\_ "F" + \_\_\_\_\_ Door Edge = \_\_\_\_\_ Min. Opening  
Adjacent Wall \_\_\_\_\_ "F" + \_\_\_\_\_ Handle = \_\_\_\_\_ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.  
\_\_\_\_\_ "C" - \_\_\_\_\_ 24" Cabinet Depth + \_\_\_\_\_ approx. 2" Electric & Water Connection Clearances = \_\_\_\_\_ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.






Kenmore 25 cu. ft. Side-by-Side Refrigerator



46-59422 – White

46-59429 – Black

- PUR® Ultimate II with two-stage ice and water filtration and indicator light
- Lighted dispenser with water, crushed and cubed ice
- 1 humidity controlled crisper
- Meat drawer, snack/deli drawer
- 4 glass shelves (3 spill-proof, adjustable)
- 4 door storage bins (3 adjustable gallon)
- 4 freezer shelves
- 1 slide-out freezer bin
- 5 freezer door bins
- ENERGY STAR® qualified
- 35 1/2" W x 69 3/4" H x 33 7/8" D
- Similar models 46-59432/9 also available



A – Height without Hinge  
B – Height with Hinge  
C – Depth without Handle  
D – Depth with Handle  
E – Max. Depth with Doors /  
Drawer Open  
F – Width

Clearance – Additional Width Required to  
Open the Doors 90°

Dimensions, Inches	Height		Depth			Width		Clearances	
	A	B	C	D	E	F		Door Edge	Handle
46-59422	68 7/8	69 3/4	31 3/8	33 7/8	49 7/8	35 1/2		3/4	2 5/8

MINIMUM OPENING REQUIRED: When installing next to cabinets, add Width (F) and Door Edge Clearance. When installing next to a wall, add Width (F) and Handle Clearance.

<b>Selection</b>	
White	46-59422
Black	46-59429
<b>Interior Capacities</b>	
Total Volume (cu. ft.)	25.4
Refrigerator / Freezer Volume (cu. ft.)	15.4 / 10.0
<b>Refrigerator Features</b>	
Total Interior Shelves	4 Glass
Adjustable Shelves	3
Spill-Proof Shelves	3
Snack / Deli Drawer	•
Fruit / Vegetable Crisper	1 Humidity Control, 1 Standard
Total Door Shelves / Bins	4 (3 Adjustable)
Gallon Door Storage	3
Dairy Bin	•
Refrigerator Lights	3
<b>Water Filtration and Dispenser</b>	
Water Filtration System	PUR® Ultimate II, NSF® Certified
Water Filter Change Indicator	•
Water Filter Location	Base Grille
Water Filter Replacement I	46-9030
Through-the-Door Dispenser w/Light	•
Cubed and Crushed Ice	Two-Stage Filtered
Chilled Water	Two-Stage Filtered
<b>Freezer Features</b>	
Factory-Installed Ice Maker	•
Freezer Light(s)	2
Interior Shelves	4
Slide-Out Baskets / Bins	1
Freezer Door Shelves / Baskets / Bins	5
Frost-Free	•
<b>General Features</b>	
Up-Front Temperature Controls	Dial (Interior)
Drawer / Bin Color and Accents	Clear
Textured Steel Doors and Cabinet	•
ENERGY STAR® Qualified	•
Est. Energy Consumption (kWh / yr.)	577
Est. Yearly Operating Cost††	\$52
Volts / Amps	115 / 6.5
Shipping Weight (Approx. Lbs.)	270
<b>Warranty</b>	
1 Year Limited – Entire Appliance	Parts & Labor

If used for other than private family purposes, warranty applies for only 90 days.

†Replacement filters available at local Sears stores.

\*PUR is a registered trademark of the Proctor & Gamble Company, Cincinnati, Ohio used under license by Sears.

††All energy \$ / Yr. figures are calculated at the national average cost of \$0.0906 / kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2006 standard. Dollar amounts may differ.



NSF Certified: the NSF (National Sanitation Foundation) is an independent national agency that establishes standards by which water filtration products are manufactured and tested.



Because of our continuous program of product improvement, Sears reserves the right to change materials and specifications without notice. Consult installation instructions packed with the product for final dimensional data. For complete warranty information, contact your local Sears Commercial Account Manager.



46-5942X.PDF

Effective 05/27/08  
Rev. 1





## Measure Twice...Order Once

Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

### It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.  
Adjacent Cabinet \_\_\_\_\_ "F" + \_\_\_\_\_ Door Edge = \_\_\_\_\_ Min. Opening  
Adjacent Wall \_\_\_\_\_ "F" + \_\_\_\_\_ Handle = \_\_\_\_\_ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.  
\_\_\_\_\_ "C" - \_\_\_\_\_ 24" Cabinet Depth + \_\_\_\_\_ approx. 2" Electric & Water Connection Clearances = \_\_\_\_\_ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.





# side-by-side refrigerator | 46-51022/3/4/6/9

Page 1 of 2



Kenmore 26.5 cu. ft. Side-by-Side Refrigerator



- 46-51022 – White
- 46-51023 – Stainless
- 46-51024 – Bisque
- 46-51026 – Ultra Satin
- 46-51029 – Black

- Water filtration system with indicator light
- Tall through-the-door dispenser with light and Ultra Ice®
- Multi Air Flow cooling system
- Snack/deli drawer
- 2 clear humidity-controlled crispers with moisture lock
- 4 glass shelves (3 adjustable, 3 spill-proof, 2 slide-out)
- 5 door storage bins (3 adjustable gallon), plus dairy bin
- 3 freezer shelves, 1 wire freezer basket, 4 freezer door bins
- Electronic LED bar temperature control display
- Smooth, contoured doors with hidden hinges and aluminum handles
- ENERGY STAR® qualified
- 35 3/4" W x 69 3/4" H x 34 1/4" D

Selection	
White	46-51022
Stainless	46-51023
Bisque	46-51024
Ultra Satin	46-51026
Black	46-51029

Interior Capacities	
Total Volume (cu. ft.)	26.5
Refrigerator / Freezer Volume (cu. ft.)	16.23 / 10.24

Refrigerator Features	
Multi Air Flow System	•
Total Interior Shelves	4 Glass
Spill Proof Shelves	3
Adjustable Shelves	3
Slide-Out Shelves	2
Snack / Deli Drawer	•
Fruit / Vegetable Crisper	2 Humidity-Controlled w/Moisture Lock
Door Shelves / Bins	5 (3 Adjustable)
Gallon Door Storage	3 Clear
Special Items Bin	Snack Pan
Covered Dairy Bin	•
Refrigerator Lights	2

Water Filtration and Dispenser	
Water Filtration System	NSF® Certified
Water Filter Change Indicator	•
Water Filter Location	Fresh Food Compartment
Water Filter Replacement†	46-9890
Through-the-Door Dispenser w/Light	Tall Flush
Chilled Water	•
Cubed / Crushed Ice	•
Extra Ice / Fast Ice Production	Ultra Ice®
Night Light	Manual

Freezer Features	
Factory-Installed Ice Maker	•
Ice Storage Bin	Removable
Freezer Light(s)	1
Interior Shelves	3
Freezer Baskets / Bins	1 Wire
Freezer Door Shelves / Baskets / Bins	4


General Features	
Up-Front Temperature Controls	Electronic LED Bar Display
Drawer / Bin Color and Accents	Clear / White
Textured Steel Doors and Cabinet	Contoured, Smooth Doors
Door Handle Finish	Aluminum
Color-Matched Cabinet / Hinge (All Colors)	•
Hidden Hinges	•
Door Alarm	•
ENERGY STAR® Qualified	•
Est. Energy Consumption (kWh / yr.)	590
Est. Yearly Operating Cost††	\$63
Volts / Amps	115 / 15
Shipping Weight (Approx. Lbs.)	328

Warranty	
1-Year Limited Warranty – Entire Appliance	Parts & Labor

If used for other than private family purposes, warranty applies for only 90 days.

†Replacement filters available at local Sears stores

††All energy \$/Yr. figures are calculated at the national average cost of \$0.1065/kWh. Energy rebates are offered and paid by the energy supplier in states where such programs exist. Criterion is based on percentage of energy efficiency attained beyond the 2007 standard. Dollar amounts may differ.



A – Height without Hinge  
B – Height with Hinge  
C – Depth without Handle  
D – Depth with Handle  
E – Max. Depth with Doors / Drawer Open  
F – Width

Clearance – Additional Width Required to Open the Doors 90°

Dimensions, Inches	Height		Depth			Width	Clearances	
	A	B	C	D	E	F	Door Edge	Handle
46-5102X	68 3/8	69 3/4	31 3/4	34 1/4	46 1/2	35 3/4	1	2 1/2

MINIMUM OPENING REQUIRED: When installing next to cabinets, add Width (F) and Door Edge Clearance. When installing next to a wall, add Width (F) and Handle Clearance.



NSF Certified: The NSF (National Sanitation Foundation) is an independent national agency that establishes standards by which water filtration products are manufactured and tested.

03010

**Sears**  
Commercial

Because of our continuous program of product improvement, Sears reserves the right to change materials and specifications without notice. Consult installation instructions packed with the product for final dimensional data. For complete warranty information, contact your local Sears Commercial Account Manager.



Listed by  
Underwriters  
Laboratories



Total volume and shelf area ratings are indicated by Underwriters Laboratories

46-5102X.PDF

Effective 03/08/10



## Measure Twice...Order Once

### Step-by-Step Instructions to Assure You Order the Proper Size Refrigerator

#### It's Just Good Measure To Double Check Before You Order!

1. Measure the opening for the refrigerator. Don't forget baseboards, molding, tile, countertop overhang, etc. If there is an island in your kitchen, be sure there is enough room to open the door.
2. Refer to the chart for the exact dimensions of the refrigerator.
3. IMPORTANT! Calculate the minimum opening required. When installing next to cabinets, you must allow for Door Edge Clearance. (Multiply Door Edge Clearance by 2 for counter-depth models.) When installing next to a wall, you must allow for the Handle Clearance.  
Adjacent Cabinet \_\_\_\_\_ "F" + \_\_\_\_\_ Door Edge = \_\_\_\_\_ Min. Opening  
Adjacent Wall \_\_\_\_\_ "F" + \_\_\_\_\_ Handle = \_\_\_\_\_ Min. Opening
4. Calculate how much the refrigerator will protrude from cabinetry. If the result is undesired, consider a counter-depth model.  
\_\_\_\_\_ "C" - \_\_\_\_\_ 24" Cabinet Depth + \_\_\_\_\_ approx. 2" Electric & Water Connection Clearances = \_\_\_\_\_ which will Protrude Past Cabinets
5. Measure each door and entry way in the home leading to the kitchen to ensure the refrigerator can be moved through.

